本製品は日本国法に基づき製造販売されたものです。また、この添付文書は日本国法に基づき作成した添付文書を翻訳したものであり、日本国外の法規に準じているわけではありません。

This product is manufactured and marketed for domestic sales in accordance with the Japanese laws.
This leaflet, translated from the original package insert created in accordance with Japanese laws, is not in compliance with laws outside Japan.

2nd Class OTC drug

Please read the package insert carefully before use and keep it with this medicine.

Anti-itch/insect bite remedy

# 新ウナコーワクール
NEW UNA KOWA COOL

## Precautions for use

### To be avoided

**(Failure to follow the directions below may worsen existing symptoms or increase the risk of adverse reactions)**

**Do not use:**

(1)Around surface of a wound.
(2)In eyes, around the eyes, mucosa, etc.

### What to ask a doctor, pharmacist or registered salesperson

**1.Ask a doctor, pharmacist or registered salesperson before use if you:**

(1)Are currently treated by a doctor.
(2)Have ever had allergic reaction to any medicines, etc.
(3)Have severe weeping or erosion.

**2.The following symptoms have occurred due to this product, may be observed as adverse reactions. If any of the symptoms occur after use, stop use immediately and ask a doctor, pharmacist or registered salesperson with the package insert.**

| Related area | Symptom |
|---|---|
| Skin | Rash/redness, itching, swelling |

**3.If symptoms do not improve after using for 5 to 6 days, stop use and ask a doctor, pharmacist or registered salesperson with the package insert.**

## Ingredients/contents (per mL)

| Ingredients/contents | |
|---|---|
| Diphenhydramine hydrochloride | 20.0 mg |
| Lidocaine | 5.0 mg |
| *l*-menthol | 30.0 mg |
| *dl*-Camphor | 20.0 mg |

[Inactive ingredients] Disodium edetate, citric acid, geraniol, ethanol

## Indications

Itching, insect bite

(Continued overleaf)

## Dosage/directions

Apply appropriate amount to the affected areas several times a day.

<Precautions for dosage/directions>

(1)Follow the dosage/directions.
(2)This medicine should be applied to children only under supervision of their guardians.
(3)Take care not to get it in your eyes. In case it gets into your eyes, immediately rinse them with water or lukewarm water. In severe cases, immediately consult with an ophthalmologist.
(4)For topical use only.
(5)Do not wrap around the affected area with a poor air permeability material, such as a wrap film, where the medicine was just applied. In addition, avoid direct close contact of the applied skins when the medicine is used for the area such as back side of the knees or inside the bend of the elbows (ex. sitting straight with the knee together and the legs folded under the body).

● How to use the container

|  |  |  |
|---|---|---|
| 1. First, remove the cap and turn the container upside down as shown in the picture. | 2. In order to apply uniformly, press the sponge head gently down on the affected area, saturate the sponge head with the liquid sufficiently, and then apply. | 3. Be sure to screw the cap on tightly after use. |

＊Although a sponge material has excellent usability and free from easy breakage is used for the product, note that the sponge head may break if it is not saturated sufficiently with the liquid.

## Precautions for storage and handling

(1)Store in a cool place avoiding high temperatures and direct sunlight, with cap tightly closed.
(2)Keep out of reach of children.
(3)Do not transfer the product to another container.
(It may cause misuse and deterioration in the quality.)
(4)Do not touch the mucosa such as the eyes with hands exposed to this medicine.
(5)Do not leave the product in any place where it is exposed to high temperatures, such as in a car, as it may cause deformation of a container. Note that deformation of the container may cause sponge head drop out or liquid leakage.



(6)If the medicine adheres to clothes or bedclothes and they become soiled, wash them with water or a cleanser as quickly as possible.
(7)Avoid contact of the medicine with metals such as glasses, watches, and accessories, clothes, plastics, the coated surface of the floor or furniture, because the adhesion may cause their deterioration.
(8)Keep fire away from this product.
(9)Do not use this product after its validity date (printed on the outer box and on the label of container) has expired.

Marketing Authorization Holder Kowa Company, Ltd. 3-4-14, Nihonbashi-Honcho, Chuuo-ku, Tokyo

Y1160 K6K