

本製品は日本国法に基づき製造販売されたものです。また、この添付文書は日本国法に基づき作成した添付文書を翻訳したものであり、日本国外の法規に準じているわけではありません。

This product is manufactured and marketed for domestic sales in accordance with the Japanese laws.
This leaflet, translated from the original package insert created in accordance with Japanese laws, is not in compliance with laws outside Japan.

2nd Class OTC drug

Please read the package insert carefully before use and keep it with this medicine.

Eye drop for allergy **アイフリーAL**
EYEFREE KOWA AL

Precautions for use

To be avoided

(Failure to follow the directions below may worsen existing symptoms or increase the risk of adverse reactions)

Do not use if you:

Are children under 7 years of age.

What to ask a doctor, pharmacist or registered salesperson

1. Ask a doctor, pharmacist or registered salesperson before use if you:

- (1) Are currently treated by a doctor.
- (2) Are pregnant or may possibly be pregnant.
- (3) Are breastfeeding.
- (4) Have ever had allergic reaction to any medicines, etc.
- (5) Are currently receiving any allergy treatments such as desensitization therapy, etc.
- (6) Have the following symptoms:
Severe eye pain
- (7) Have any symptoms whose cause is unclear as to whether it is allergy related or related to another cause.
When the cause of symptoms cannot be determined to be caused by allergies, particularly in the following cases, please ask a doctor before use:
 - A symptom is present only in one eye.
 - A symptom is present only in eyes, not in nose.
 - Visual acuity is also affected.
 - Excessive eye discharge comes out.

2. The following symptoms have occurred due to this product, may be observed as adverse reactions. If any of the symptoms occur after use, stop use immediately and ask a doctor, pharmacist or registered salesperson with the package insert.

Related area	Symptom
Skin	Rash/redness, itching
Eye	Hyperemia, itching*, swelling*, irritating sensation*, pain*, watery eye

*Including symptoms occurring in the area around the eye.

3. In the following cases, stop use and ask a doctor, pharmacist or registered salesperson with the package insert.

- (1) Blurred vision does not improve.
- (2) Symptoms do not improve after using for about one week.

4. If the medicine is used for longer than two weeks after improvement of symptoms, ask a doctor, pharmacist or registered salesperson with the package insert.

Indications

Relief of the following eye allergy symptoms caused by pollen, house dust, etc.: Itchy eyes, ocular hyperemia, watery eyes, sensation of foreign body (gritty sensation), blurred vision (e.g. when excessive eye discharge comes out)

(Continued overleaf)

Dosage/directions

Instill one or two drops per dose, four times a day (morning, daytime, evening, and at bedtime).

<Precautions for dosage/directions>

- (1) Follow the dosage/directions.
- (2) This medicine should be applied to children only under supervision of their guardians.
- (3) Wipe away any excess liquid running around the eyes immediately.
- (4) Note that when the tip of the container comes in contact with the eyes, eyelid or eyelash, the medicinal solution may become contaminated or clouded due to eye discharge, bacteria, etc. Do not use the medicine whose solution becomes clouded.
- (5) Do not use as contact lenses fitting solution. Do not use the medicine while wearing contact lenses.
- (6) For ophthalmic use only.
- (7) When the medicine is used for a symptom of seasonal allergy caused by pollen, it is effective to use the drug from an early stage when the symptoms are mild or when the symptoms begins to appear in the pollen dispersal period.

Ingredients/contents (per mL)

Ingredients/contents
Acitazanolast hydrate 1.08 mg (1.0 mg as acitazanolast)

[Inactive ingredients] Ethanolamine, aminocaproic acid, paraben, chlorobutanol, propylene glycol, polysorbate 80, pH regulator

Precautions for storage and handling

- (1) Store in a cool place avoiding high temperatures and direct sunlight, with cap tightly closed.
- (2) Keep out of reach of children.
- (3) Do not transfer the product to another container. (It may cause misuse and deterioration in the quality.)
- (4) Do not share this product with other persons.
- (5) Do not use this product after its validity date (printed on the outer box and on the label) has expired.
Even before its validity date, use the product as soon as possible after opening to maintain the quality.

Marketing Authorization Holder Kowa Company, Ltd. 3-4-14, Nihonbashi-Honcho, Chuo-ku, Tokyo