

本製品は日本国法に基づき製造販売されたものです。また、この添付文書は日本国法に基づき作成した添付文書を翻訳したものであり、日本国外の法規に準じているわけではありません。

This product is manufactured and marketed for domestic sales in accordance with the Japanese laws.
This leaflet, translated from the original package insert created in accordance with Japanese laws, is not in compliance with laws outside Japan.

2nd Class OTC drug

Please read the package insert carefully before use and keep it with this medicine.

Anti-itch/
insect bite remedy

ウナクールパンチ
UNA KOWA COOL PUNCH

Precautions for use

To be avoided

(Failure to follow the directions below may worsen existing symptoms or increase the risk of adverse reactions)

Do not use:

- (1) Around surface of a wound.
- (2) In eyes, around the eyes, mucosa, etc.

What to ask a doctor, pharmacist or registered salesperson

1. Ask a doctor, pharmacist or registered salesperson before use if you:

- (1) Are currently treated by a doctor.
- (2) Have ever had allergic reaction to any medicines, etc.
- (3) Have severe weeping or erosion.

2. The following symptoms have occurred due to this product, may be observed as adverse reactions. If any of the symptoms occur after use, stop use immediately and ask a doctor, pharmacist or registered salesperson with the package insert.

Related area	Symptom
Skin	Rash/redness, itching, swelling, pain

3. If symptoms do not improve after using for 5 to 6 days, stop use and ask a doctor, pharmacist or registered salesperson with the package insert.

Dosage/directions




Apply appropriate amount to the affected areas several times a day.

<Precautions for dosage/directions>

- (1) Follow the dosage/directions.
 - (2) This medicine should be applied to children only under supervision of their guardians.
 - (3) Take care not to get it in your eyes. In case it gets into your eyes, immediately rinse them with water or lukewarm water. In severe cases, immediately consult with an ophthalmologist.
 - (4) For topical use only.
 - (5) Do not wrap around the affected area with a poor air permeability material, such as a wrap film, where the medicine was just applied. In addition, avoid direct close contact of the applied skins when the medicine is used for the area such as back side of the knees or inside the bend of the elbows (ex. sitting straight with the knee together and the legs folded under the body).
- Note that people with sensitive skin may feel strongly irritated, due to the use before or after taking a bath or exercise. Rinse with water or soap when feeling extremely irritated.

(Continued overleaf)

[How to use the container and precautions for use]

<p>[1]After opening the cap, remove the beige brush cover straight up and then apply to the affected area.</p> <p>Discard the brush cover.</p>  <p>[Do not attach the brush cover again to prevent the brush breakage.]</p>	<p>[2]The container is designed to flow by turning the container upside down and by pressing the brush down on to the affected area.</p> <p>Liquid flows when the brush is bent.</p>  <p>[Do not rub hard because it may hurt the skin.]</p>	<p>[3]Once the cap is screwed shut, the brush tip is pressed down to stop flowing.</p>  <p>Be sure to screw the cap on tightly to prevent liquid leakage.</p>
--	---	---

- * When dust, etc. sticks and enters into the brush tip, remove them with tissue paper, etc.
- * Screw the cap on tightly and prevent dust, etc. from getting stuck in the brush.

Indications

Itching, insect bite


Ingredients/contents (per mL)

Ingredients/contents	
Diphenhydramine hydrochloride	20.0 mg
Lidocaine	10.0 mg
<i>l</i> -menthol	40.0 mg
<i>dl</i> -Camphor	20.0 mg

[Inactive ingredients] Nonylic acid vanillylamide, disodium edetate, ethanol

Precautions for storage and handling

- (1)Store in a cool place avoiding high temperatures and direct sunlight, with cap tightly closed.
- (2)Keep out of reach of children.
- (3)Do not transfer the product to another container.
(It may cause misuse and deterioration in the quality.)
- (4)Do not touch the mucosa such as the eyes with hands exposed to this medicine.
- (5)Do not leave the product in any place where it is exposed to high temperatures, such as in a car, as it may cause deformation of a container.
Note that deformation of the container may cause the brush tip drop out or liquid leakage.
- (6)If the medicine adheres to clothes or bedclothes and they become soiled, wash them with water or a cleanser as quickly as possible.
- (7)Avoid contact of the medicine with metals such as glasses, watches, and accessories, clothes, plastics, the coated surface of the floor or furniture, because the adhesion may cause their deterioration.
- (8)Keep fire away from this product.
- (9)Do not use this product after its validity date (printed on the outer box and on the label of container) has expired.



Marketing Authorization Holder Kowa Company, Ltd. 3-4-14, Nihonbashi-Honcho, Chuo-ku, Tokyo

Y1472 K6K